

REPLACEMENT GRAVITY ROLLERS

1.9" Diameter Gravity Roller

Model No.	Between frame Measurement	WLL (lbs.)	Weight (lbs.)
26157-12	12"	269	2.28
26157-13	13"	269	2.44
26157-14	14"	268	2.59
26157-15	15"	268	2.75
26157-16	16"	268	2.91
26157-19	19"	268	3.37
26157-20	20"	268	3.53
26157-21	21"	268	3.69
26157-22	22"	268	3.84
26157-23	23"	268	4
26157-24	24"	267	4.16
26157-25	25"	267	4.31
26157-26	26"	267	4.47
26157-27	27"	267	4.63
26157-28	28"	267	4.78
26157-30	30"	267	5.1
26157-32	32"	267	5.41
26157-33	33"	266	5.57
26157-36	36"	266	6.04
26157-37	37"	266	6.19
26157-38	38"	266	6.35

**1.9 OD x 16 ga.
galvanized steel tube
7/16 hex mild steel axle
Non-precision bearings
Spring retained axles**



2.5" Diameter Gravity Roller

Model No.	Between frame Measurement	WLL (lbs.)	Weight (lbs.)
40978-13	13"	647	6.15
40978-14	14"	647	6.52
40978-15	15"	646	6.89
40978-18	18"	646	8.00
40978-19	19"	645	8.37
40978-20	20"	645	8.74
40978-21	21"	645	9.12
40978-22	22"	645	9.49
40978-24	24"	644	10.23
40978-25	25"	644	10.60
40978-26	26"	644	10.97
40978-27	27"	643	11.34
40978-31	31"	642	12.82
40978-32	32"	642	13.19
40978-37	37"	641	15.05
40978-38	38"	640	15.42

**2-1/2 OD x 10 ga. galvanized steel tube
11/16 hex mild steel axle
Non-precision bearing
Spring retained axles**



GRAVITY ROLLERS

